

RF-600


Rigging Frame Accessory



**Technical
Data Sheet**

Overview


RF-600 is a dedicated rigging frame that allows for quick, easy and secure deployment in flown setups. The rigging frame has been design to seamlessly fit and lock with **BASSO** and **EVO** integrated rigging hardware.



Technical Data

Construction	Weatherized steel
Dimensions	628 x 80 x 560 mm
Weight	17.8 kg
Max. Load	500 kg
Safety Ratio	12:1
Compatible models	BASSO18 , BASSO18-A , BASSO21 , BASSO21-A , EVO88-P , EVO88-M

Technical Drawings



⚠ IMPORTANT Safety and Warranty notice

This rigging equipment has been designed and constructed to be used exclusively with **IDEA** Line-Array models **BASSO18**, **BASSO18-A**, **BASSO21**, **BASSO21-A**, **EVO88-P**, **EVO88-M**.

This Rigging Frame structure complies with the BGV C1 Directives with a WLL (Work Load Limit) with a 12:1 Safety Ratio. To preserve these features is imperative all other 3rd party rigging equipment also comply with the above directives and safety ratio. It is the user's responsibility to check and observe these practices before proceeding with rigging operations. The use with any other product or equipment is strongly discouraged and **IDEA** decline all responsibility derived from bad practices, misuse and alterations in the equipment.



I MÁS D ELECTROACÚSTICA SL

Pol. A Trabe 19-20, 15350 – Cedeira, A Coruña (España)

Tel. +34 881 545 135

www.ideaproaudio.com

info@ideaproaudio.com

Specifications and product appearance may be subject to change without notice.

TD_RF-600_EN_v2.0 | 11 - 2022